

Fujitsu recommends Windows® 7.

Data Sheet

Fujitsu LIFEBOOK UH572 Ultrabook™ Notebook

Business in a Briefcase

The stylish and ultra-slim Fujitsu LIFEBOOK UH572 Ultrabook™ is the perfect choice for everyday requirements. Its small form factor, 33.8 cm (13.3-inch) display and light weight of only 1.6 kg offer enhanced mobility. An attractive combination of thin design and sleek look with two color options makes the LIFEBOOK UH572 turn heads anywhere. Elaborate security features, optional embedded 3G/UMTS and high responsiveness provide you with enhanced convenience for effective working in all situations.

Stylish design combined with a small form factor

Enhanced mobility on business trips or in the office.

- Attractive notebook in the new slim Ultrabook design with aluminum housing, only 1.6 kg and 18 mm thin, silver or red color option

Mobile office for every requirement

Enhanced convenience in all situations.

- Small form factor, anti-glare display, high responsiveness, long battery runtime, HD webcam, large touchpad with integrated mouse button functionality

Enhanced connectivity

Be available, even when there is no hotspot nearby.

- Optional embedded 3G/UMTS, WLAN and Bluetooth

Security

Protect your data against third-party access

- Advanced Theft Protection (Intel® Anti Theft & Computrace®), Kensington Lock support



Components

Processor	Intel® Core™ i5-3317U (1.7 GHz, 3 MB)	Intel® Core™ i7-3517U (1.9 GHz, 4 MB)	Intel® Core™ i5-3317U (1.7 GHz, 3 MB)	Intel® Core™ i7-3517U (1.9 GHz, 4 MB)
Memory	2GB (1Modul) DDR3, 1600 MHz 4GB (1Modul) DDR3, 1600 MHz	2GB (1Modul) DDR3, 1600 MHz 4GB (1Modul) DDR3, 1600 MHz	2GB (1Modul) DDR3, 1600 MHz 4GB (1Modul) DDR3, 1600 MHz	2GB (1Modul) DDR3, 1600 MHz 4GB (1Modul) DDR3, 1600 MHz 8GB (1Modul) DDR3, 1600 MHz
Hard disk drives	SSD SATA III, 128GB, 2.5-inch SATA, 5400 rpm, 500GB, 2.5-inch SATA, 5400 rpm, 320GB, 2.5-inch	SSD SATA III, 128GB, 2.5-inch SATA, 5400 rpm, 500GB, 2.5-inch SATA, 5400 rpm, 320GB, 2.5-inch	SSD SATA III, 128GB, 2.5-inch SATA, 5400 rpm, 500GB, 2.5-inch SATA, 5400 rpm, 320GB, 2.5-inch	SSD SATA III, 128GB, 2.5-inch SATA, 5400 rpm, 500GB, 2.5-inch SATA, 5400 rpm, 320GB, 2.5-inch
WLAN		Intel® Centrino Wireless-N2230 b/g/n Atheros WLAN WB222 a/b/g/n	Intel® Centrino Wireless-N2230 b/g/n Atheros WLAN WB222 a/b/g/n	Intel® Centrino Wireless-N2230 b/g/n Atheros WLAN WB222 a/b/g/n
3G/4G	Sierra Wireless MC8305 GOBI 3000 module (downlink speed up to 14,4 Mbit/s, uplink speed up to 7,2Mbit/s)	Sierra Wireless MC8305 GOBI 3000 module (downlink speed up to 14,4 Mbit/s, uplink speed up to 7,2Mbit/s)	Sierra Wireless MC8305 GOBI 3000 module (downlink speed up to 14,4 Mbit/s, uplink speed up to 7,2Mbit/s)	Sierra Wireless MC8305 GOBI 3000 module (downlink speed up to 14,4 Mbit/s, uplink speed up to 7,2Mbit/s)
*Processor only for retail, SMB, education and government				
Operating systems				
Operating system	Windows® 7 Professional 64-bit Windows® 7 Home Premium 64-bit			
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM 4 GB (1 module(s) 4 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM			
Base unit memory	LIFEBOOK UH572 i5 SILVER (Intel® Core™ i5)	LIFEBOOK UH572 i7 SILVER (Intel® Core™ i7)	LIFEBOOK UH572 i5 RED (Intel® Core™ i5)	LIFEBOOK UH572 i7 RED (Intel® Core™ i7)
Supported capacity RAM (min.)	2 GB			
Supported capacity RAM (max.)	8 GB			
Memory slots total	2			
Memory slot type	SO DIMM (DDR3, 1600 MHz)			
Memory notes	DDR3 - 1600 MHz			
Hard disk drives (internal)	SSD SATA III, 128 GB, 2.5-inch SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.			
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 18 GB of HDD space is reserved for system recovery			
WLAN (optional)	Atheros Minicard WB222 a/b/g/n Intel® Centrino® Wireless-N2230 b/g/n			
Wireless technologies				
Bluetooth	Integrated V4.0 + HS			
Integrated WLAN	Intel® Centrino Wireless-N2230 b/g/n Atheros WLAN WB222 a/b/g/n			

Wireless technologies

WLAN encryption	WEP, WPA, WPA2
WLAN max. data rate	up to 300 Mbit/s
WLAN notes	Import and usage according to country-specific regulations.
3G/4G (optional)	Sierra Wireless Gobi 3000 (UMTS downlink speed 14.4 Mbit/s, UMTS uplink speed 5.76 Mbit/s)

Base unit	LIFEBOOK UH572 i5 SILVER (Intel® Core™ i5)	LIFEBOOK UH572 i7 SILVER (Intel® Core™ i7)	LIFEBOOK UH572 i5 RED (Intel® Core™ i5)	LIFEBOOK UH572 i7 RED (Intel® Core™ i7)
-----------	---	---	--	--

General system information

Processor	Intel® Core™ i5-3317U processor (1.7 GHz), 3 MB,	Intel® Core™ i7-3517U processor (1.9 GHz), 4 MB,	Intel® Core™ i5-3317U processor (1.7 GHz), 3 MB,	Intel® Core™ i7-3517U processor (1.9 GHz), 4 MB,
Chipset	Intel® HM76			
Color	Silver/Black	Silver/Black	Red/Black	Silver/Black
Material	Aluminum lid	Aluminum lid	Aluminum lid	Aluminum lid

Display

Display	33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, 1366 x 768 pixel, 220 cd/m2	33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, 1366 x 768 pixel	33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, 1366 x 768 pixel, 220 cd/m2
Aspect ratio	16:9		
Brightness - typical	220 cd/m2		220 cd/m2

Graphics

Graphics brand name	Intel® HD Graphics
---------------------	--------------------

Interfaces

Memory card slots	1 (4in1 Card Reader supporting (MS/MS Pro/SD/SDXC)
SIM card slot	1 (usable only with 3G/UMTS)
USB 3.0 total	2
USB 2.0 total	1 (incl. anytime charging functionality)
HDMI	1
Ethernet (RJ-45)	via USB
DC-in	1
Audio: line-out / headphone	1
Kensington Lock support	1

Wired communication

LAN	USB to LAN
-----	------------

Keyboard and pointing devices

	Keyboard Multi gesture touchpad with integrated mouse button functionality
--	---

Multimedia

Audio type	On board
Audio codec	Realtek ALC269Q-VB6 (HD audio)
Audio features	2x built-in speakers (stereo), Support of high-definition audio, DTS Boost™ - maximizes acoustic power of your notebook by boosting perceived overall level of the mix
Audio notes	Manufactured under license from DTS Licensing Limited. DTS, the Symbol, & DTS and the Symbol together are registered trademarks & DTS Boost is a trademark of DTS, Inc. Product includes software. © DTS, Inc. All Rights Reserved.
Camera	Built-in webcam, HD

Power supply

AC adapter	19 V / 65 W (3.42 A) stick type
Rated voltage range	100 V - 240 V (AC Input)

Power supply

Rated frequency range	50 Hz - 60 Hz
1st battery	Lithium polymer battery 4-cell, 2840 mAh, 42 Wh
Benchmark	Mobile Mark 2007 (readers mode – e.g. surfing the internet, writing E-mails, viewing documents)
Runtime 1st battery	tbc
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time varies depending on usage. The recharge capacity may decrease after some months so that the battery lifetime as well as operating time can not be assured for the whole lifetime of the notebook.

Dimensions / Weight / Environmental

Dimensions (W x D x H)	323 x 234 x 18.0 mm
Weight	Approx. 1.57 kg
Weight notes	Weight may vary depending on actual configuration (including battery pack)

Additional Software

Additional software (preinstalled)	EasyGuide online user documentation Adobe Acrobat Reader CyberLink YouCam Fujitsu Recovery (Hard Disk Based Recovery) Bluetooth Software Suite Norton Internet Security (incl. Firewall) 60 days version Microsoft® Office Starter: reduced-functionality Word and Excel® only, with advertising. No PowerPoint® or Outlook®. Buy Office 2010 to use the full-featured software.
Additional software (optional)	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS)
Additional software (included as a CD/DVD)	Drivers & Utilities DVD (DUDVD) Recovery DVD (Windows® 7)

Security

System protection	Kensington Lock support
Audit proof protection	Computrace® enabled BIOS Advanced Theft Protection (Intel® Anti Theft & Computrace®)
Access protection	User and supervisor BIOS password Hard disk password

Product

Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx
------------------------	---

Warranty**Maintenance and Support Services - the perfect extension**

Recommended Service	5x9, Response Time: Next Business Day
Service Weblink	http://www.fujitsu.com/fts/services/support

Recommended Accessories

USB2.0-LAN-Adapter



The Fujitsu USB2.0-LAN-Adapter allows you to connect your computer to a 10/100 Mbps network simply by a USB port. The USB 2.0 (480 Mbps) ensures full network speed without any compromise. With the PXE support you are able to boot your computer using a network independently of data storage devices or installed operating systems.

Order Code:
S26391-F6055-L510

More information

Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK UH572 Ultrabook™, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure-as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK UH572 Ultrabook™, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at <http://www.fujitsu.com/global/about/environment/>



Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

FUJITSU Technology Solutions
Website: www.fujitsu.com/fts
2012-06-01 CE-EN

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
Copyright © Fujitsu Technology Solutions